Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices



62.81 Will W. Tracy In

WHOLESALE TRADE LIST

Forest Nursery and Seed Co

J, H. H. BOYD, Proprietor, Agricult

RFD No. 2,

MCMINNVILLE, TENN

SPRING 1910

TO THE TRADE:

We are growing a fine lot of Seedlings as per enclosed list, especially American Persimmons, Red Bud, Sweet Gum, Black Locust, Sycamore and Japan Walnuts, of which we are growing an extra large lot and we are ready to book orders at prices enclosed. Would appreciate early orders, as stock may become exhausted before shipping season is over.

SEEDS

We will want Tree and Shrub Seeds, Cuttings, etc., for the coming season, and would appreciate a list of Seeds and Seedlings from any who can supply good, fresh stock early in season.

Would appreciate your early orders.

TERMSOFSAL

Evergreens will only be collected hereafter on damp days, and small lots should be expressed. Orders from strangers not financially rated should be accompanied by cash or good reference. Reasonable charges will be made for boxes or bales for trees, except when cash accompanies the order.

Seedlings-500 at 1000 rates; 5,000 at 10,000 rates.

Our responsibility ceases on delivery to transportation company and receipt taken. All orders to prepay stations should be accompanied by cash to cover freight. Add 8 cents for postage. Small orders from strangers should be accompanied by cash.

DECIDUOUS TREES

NOTE -- S. Seedlings, TR, Transplanted.

| 2,012, 6,6000111180, 211, 2 | | - | | 100 |
|---|------|-------|-------|---------|
| | Doz. | | 1,000 | 10,000 |
| Ailanthus Glandulosus, Heaven tree, 6 to 12 in | 1 20 | 40 | 3 00 | \$25 00 |
| " " 1 to 2 ft | 40 | 60 | 4 00 | 34 00 |
| " " 2 to 4 ft | 50 | 80 | 6 00 | |
| Acer Dasycarpum, silver maple, 6 to 12 in | 15 | 25 | 1 50 | |
| " " 1 to 2 ft | 20 | 50 | 3 50 | 30 00 |
| " " 2 to 3 ft | 30 | 60 | 5 00 | 40 00 |
| " " " 3 to 4 ft | 40 | 80 | 7 00 | |
| Box Elder, s 6 to 12 | 20 | 40 | 3 00 | 20 00 |
| " " s 1 to 2 ft | 30 . | 50 | 4 00 | 30 00 |
| " " s 2 to 3 ft | 40 | 60 | 5 00 | 40.00 |
| Balm of Gilead, 2 to 3 ft | 50 | 2.50 | 20 00 | |
| " " 3 to 4 ft | 80 | 4 00 | 30 00 | |
| " 5 to 6 ft | | 12 00 | | |
| Carolina Poplar, 2 to 4 ft Whips | | 4 00 | 30 00 | |
| " 5 to 7 ft " 1 | 00 | 6 00 | | |
| " 8 to 10ft3 | 00 | 20 00 | | |
| Silver Poplar, 2 to 4 ft | 80 | 3.00 | 25 00 | |
| " 5 to 7 ft | 00 | 6 00 | 50 00 | |
| Lombardy Poplars 3 to 4 ft | 80 | 4 00 | 35 00 | |
| Catalpa Speciosa, s 6 to 12 in | 20 | 30 - | 1 75 | 15 00 |
| " s 1 to 2 ft | 20 | 40 | 3 00 | 25 00 |
| " s 2 to 3 ft | 30 | 50 | 4 00 | 30 00 |
| 3 to 4 ft fine | 50 | 1 00 | 8 00 | |
| Cercis Canadensis, red bud, 6 to 12 in | 20 | 40 | 3 00 | 20 00 |
| " 1 to 2 ft | 30 | 60 | 5.00 | 40 00 |
| Cornus Solonifera, ozier dogw'd, tr. 3 to 4 ft. | 50 | 2 00 | 18 00 | |
| " 4 to 6 ft. | 60 | 3 00 | 25 00 | |
| 1 10 0 11 | | | 00 | |

Deciduous Trees, Continued

| Decit | Iuous | 11663, | COM | unue | | |
|---|--------------|-----------------|-------------|------------|-----------------------------|-----------|
| | | | Doz. | 100 | 1,000 | 10,000 |
| Cottonwood. | - 12 to | 18 in | | 40 | 3 00 | 25 00 |
| " | 18 io | 24 in | | 50 | 4 00 | 33 00 |
| Cottonwood, | 2 to 3 | ft | | 60 | 5 00 | 40 00 |
| Diospyrus, American p | persimmo | n. s 6 to 12 | in 10 | 40 | 2 00 | 18 00 |
| ** | | s 12 to 18 | in 20 | 40 | 3 00 | 25 00 |
| 66 66 | | s 2 to2½ | ft 40 | 1 00 | 5 00 | 40 00 |
| Fagus Ferruginea, Am | er, beech | 6 | in 10 | 20 | 1 50 | 12 00 |
| Fraximus Virdis, gree | n ash, 6 to | 12 in | 10 | 25 | 1 50 | 13 50 |
| ** | " s1 | to 2 ft | 40 | 50 | 3 50 | 30 00 |
| 77 | " 92 | to 2 ft to 3 ft | 30 | 60 | 5 00 | 40 00 |
| Honey Locust | 61 | to 12 in | 20 | 40 | 2 50 | 20 00 |
| Honey Locust | 12 | to 18 in | 25 | 50 | 3 00 | 25 00 |
| Lirodendron, tulip po | plar, s 6 to | o 12 in | | 30 | $\frac{2}{5} \frac{50}{00}$ | 20 00 |
| | s1 to | o 2 ft | 25 | 80 | 5 00 | 40 00 |
| 66 | s 2 to | o 4 ft | 35 | 1 00 | 7 00 | 60 00 |
| 00 | tr 2 to | o 3 ft | 75 | 2 00 | 15 00 | |
| ** | tr b to | 0 8 II | 1 00 | 10 00 | | |
| 66 | - 8 to | to 2in Cal. | | | | |
| 66 | tr 1 1/2 | to 2in Cal. | 2 50 | 20 00 | | |
| | | m, 6 to 12 | in 10 | 40 | 3 00 | 20 00 |
| 66 | ua, sw gu | 1 to 2 f | t 15 | 50 | 4 00 | 35 00 |
| 66 | 66 . | tr 1 to 2 | 2 ft 50 | 2 00 | 16 00 | |
| 66 | | tr 2 to 3 | 3 ft 85 | 2 50 | 20 00 | |
| 60 | 4.6 | tr 4 to 5 | ft 1 00 | 5 00 | 40 00 | |
| 66 66 | - 66 | tr 6 to 7 | ft 2 00 | 10 00 | | |
| Locust, black, s 6 to 1 | 2 in | | 10 | 20 | 1 25 | 11 00 |
| " " slto2 | 2 ft | | 20 | 40 | 3 00 | 25 00 |
| " " s 3 to 4 | | | | 50 | 4 00 | 32 00 |
| " " s 4 to 6 | 6 ft | | 40 | 1 00 | 6 00 | 50 00 |
| Russian Mulberry, 6 to | o 12 in | | | | 1 75 | 15 00 |
| " " 12 to | 18 in | | | | 2 25 | $20 \ 00$ |
| " 2 to Nyssa Multiflora, blac | 3 ft | | | | 4 00 | |
| Nyssa Multiflora, blac | kgum, 6 t | to 12 in | 20 | 1 00 | 7 00 | |
| ., ., | " 12 t | o 18 in | 30 | 1 40 | 12 00 | |
| Pavia Flavia, yellow b | uckeve, s | l vr | 15 | 80 | 6 00 | 50 00 |
| Rhamnus Carolinus, b | uck thorn | 1, 6 to 12 | in 20 | 40 | 3 00 | |
| 66 | 6.6 | 1 to 2 | ft 40 | 60 | 5 00 | |
| 16 | +6 | 2 to 3 | ft 40 | 1 00 | 8 00 | |
| | 6.6 | 4 to 5 | ft 80 | 2 00 | 15 00 | |
| " | 66 | 5 to 7 | ft2 00 | 15 00 | | |
| Sasafras Officinale | | 6 to 12 | m 20 | 50 | 4 00 | |
| | | 12 to 18 | m 30 | 60 | 5 00 | |
| | | \dots 3 to 4 | ft 50 | 3 00 | | |
| | | | | 40 | 3 00 | 25 00 |
| " 1 to 2 ft Styrax Japonica, Japan or dwarf tree; small and smooth bark; | | | | 1 00 | 8 00 | |
| Styrax Japonica, Japan | 1. Low g | rowing shi | ub | | | |
| or dwarf tree; small | l, dogwood | od-like lea | ves | | | |
| and smooth bark; | branche | s horizoni | tal. | | | |
| | | | | 0.00 | # 0.00 | |
| nanging along the b | ranches. | tr 1 to 2 f | 11 | 8 00 | 70 00 | |
| nne well branched | | tr 3 to 41 | t1 50 | 10 00 | | |
| hanging along the b fine well branched. Walnut, black, s 6 to 1 | 4 111 | | 25 | 60 | 5 00 | |
| " s 1 to : Walnut, white, (butte | Z II | 4- 0 6 | 40 | 1 00 | 8 00 | |
| Walnut Janes sichale | rnuts) s 1 | to 2 It | 30 | 70 | 6 00 | |
| Walnut, Japan, siebolo | | | | 4 00 | 35 00 | |
| CATALPA SPEC | IOSA— | We have | a large | stock | all gra | des of |
| Fine Western Ca | atalpa. | Can ma | ke quie | ek ship | ments. | Also |
| several hundred | thouse | nd all or | radae | RLACI | LOCE | IST |
| severar nunarea | . thousa | ma, am g | rades, | DIMOI | LDOCK | |
| | | SEEDS | 5. | | | |
| 100 lbs. Ceanthus Ame | ericana in | pods | | | per 1b | . 40c |
| 500 " Red Cedar Be | rries per | lb 25c: 10 | 00 lbs \$1 | 5.00 | per 10 | |
| 200 " Cockspur Tho | rn, berrie | S | | | | 15c |
| 100 lbs. Ceanthus Ame 500 "Red Cedar Be 200 "Cockspur Tho 109 "Magnolia Trip | etala, clea | an, fresh s | eed | | " | \$1 00 |
| 200 " Rhns Glabra | smooth s | umach | | | " | 15c |
| 209 " " Copallin | ia, dwarf | sumach. | | | " | 15c |
| 200 "Rhns Glabra, 209 " "Copallin Rhubarb Lineaus, pie | plant, per | oz. 15c. pe | er 1b. \$1. | 25, 10 lbs | . \$10.00. | |
| Many other seeds in | less quan | tities. | | | | |
| | 1 | | | | | |

COLLECTED SEEDLINGS

| Doz | 100 | 1,000 | 10,000 |
|---|------------------|---|--|
| Asimina Triloba, Paw Paw, 1 to 2 ft 40 | 1 00 | 8 00 | 10.50 |
| Acer Saccharinum, sugar maple, 6 to 12 in 10 " 1 to 2 ft 15 | $\frac{25}{35}$ | $\begin{array}{ccc} 1 & 50 \\ 2 & 50 \end{array}$ | $\frac{12}{20} \frac{50}{00}$ |
| $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | 40 | 4 00 | 30 00 |
| " 3 to 6 ft 1 00 | 6 00 | 50 00 | |
| " 6 to 8 ft 2 00 | 12 00 | | 25 00 |
| Acer Rubrum, scarlet maple, 6 to 12 in 25 | 40 | 3 00 4 00 | $\begin{array}{cccccccccccccccccccccccccccccccccccc$ |
| " " 1 to 2 ft 30 2 to 4 ft 40 | 50 1 00 | 8 00 | 35 00 |
| " " 4 to 6 ft 80 | 2 00 | 15 00 | |
| Andromdia Arborea, sourwood, 6 to 12 in 20 | 60 | 5 00 | |
| " 1 to 2 ft 30 Betulenta, sweet birch, 6 to 12 in 20 | 80 40 | 6 00 3 00 | |
| Betulenta, sweet birch, 6 to 12 in | 50 | 4 00 | |
| Carpinus Americana, water beech, 6 to 12 in 15 | 40 | 3 00 | 20 00 |
| " 1 to 2 ft 20 | 60 | 4 00 | 30 00 |
| " 2 to 4 ft 40 | 1 00 | 7 00 | |
| 5 to 1 it 60 | 5 00 | 3 00 | 25 00 |
| Cornus Florida, wh. flow. dgwd, 6 to 12 in 15 | 40 50 | 4 00 | 35 00 |
| " 2 to 4 ft 35 | 80 | 6 00 | 50 00 |
| " " 4 to 6 ft 60 | 2 50 | 20 00 | |
| . 0 10 611 1 20 | 8 00 | - 00 | |
| Corylus Americana, hazelnuts, 2 to 3 ft 30 ": 3 to 5 ft 40 | 70 1 00 | 5 00 | |
| Dirca Palustris, leatherwood, 6 to 12 in 10 | 40 | 3 00 | 25 00 |
| Cork Elm, 6 to 12 in 15 | 40 | 3 00 | 40 00 |
| "1 to 2 ft 25 | 80 | 5 00 | |
| | 2 50 | 20 00 3 50 | 25 00 |
| Euonymus Americana, | 90 | 6 00 | 40 00 |
| Fagus Ferruginea Amer. beech, 1 6 to 12 in 10 | 40 | 3 00 | 20 00 |
| " " "1 to 2 ft 15 | 50 | 4 00 | 35 00 |
| Hypercium Prolificum, 6 to 12 in | 80 | 7 00 | |
| | 1 00 80 | 10 00 5 00 | 45 00 |
| " 1 to 2 ft 30 | 1 00 | 7 00 | 10 00 |
| " | 1 50 | 12 00 | |
| " | 5 00 | | |
| Laurus Benzoin, spice bush, 6 to 12 in 10 | 40 | 3 00 | 25 00 |
| " " 1 to 2 ft 15 " 2 to 3 ft 25 | $\frac{60}{100}$ | 5 00 8 00 | 40 00 60 00 |
| Lirodendron, tulip poplar,6 to 12 in 10 | 40 | 3 00 | 20 00 |
| "1 to 2 ft 15 | 50 | 4 00 | 35 00 |
| Magnolia Acuminata, 6 to 12 in 15 | 60 80 | 4 00 6 00 | 35 00 50 00 |
| Magnolia Tripitala, umbr. mag.,1 to 2 ft 20 | 80 | 9 00 | 50 00 |
| " "2 to 4 ft 30 | 1 00 | 7 00 | 60 00 |
| "4 to 6 ft 80 | 6 00 | 50 00 | 25 00 |
| Robina Hispida, moss locust,6 to 12 in 1 to 2 ft 20 | 50 80 | 4 00 5 00 | 35 00 |
| Sambucus Canadensis, com. elder, 2 to 4 ft. 30 | 60 | 5 00 | |
| Symphorocarpos, coral berry, 1 to 2 ft 20 | 80 | 5 00 | |
| Tilia Americana, Linden,4 to 6 in 10 | 20 | 1 50 | 12 50 |
| " "6 to 12 in 15 | 40 | 3 00 | 20 00 |
| " " 1 to 2 ft 25 2 ta 4 ft 30 | .50 80 | 4 00 6 00 | |
| Viburnum Acerifolium, arrow wood, 1 to 3 ft, 20 | 60 | 5 00 | 45 00 |
| " " 3 to 4 ft 40 | 80 | 7 00 | 60 00 |
| " 4 to 7 ft, 1 60 | 2 50 | 20 00 | 18 00 |
| Xanthorrhiza Apiifolia, yellow root, 6 to 12 in 15 | 30 60 | 2 00 5 00 | 40 00 |
| 1 10 2 11 90 | 00 | 0 00 | 10 00 |

All small Collected Seedlings should be cut back to crown before transplanting, especially Maples and Lindens. The large collected stock is collected with great care and for permanent planting, especially Magnolias, Viburnums and Sugar Maples.

SHRUBS

| Do | z. | 100 | 1,000 | 10,000 | | | | |
|---|----------|----------------|-------------------|------------------|--|--|--|--|
| Althea Rosea, 4 to 8 in mixed seedlings 1 | .0 | 20 | 1 00 | 7 50 | | | | |
| | 20 | 30 | 1 25 | 10 00 | | | | |
| mixed, I to 2 It | 0 6 | 40 | 3 00 5 00 | 20 00 40 00 | | | | |
| mixed, 2 to 3 it 9 | | 3 00 | 20 00 | 40 00 | | | | |
| Amorpha Fruticosa, false indigo. L. June. | | , 00 | 20 00 . | | | | | |
| Long, pendulous branches, the indigo- | | | | | | | | |
| colored flowers in finger-like spikes, Val- | | | | | | | | |
| uable for massing. Good on poor soil. | | | | | | | | |
| | 25 | 60 | 4 00 | 30 00 | | | | |
| | | 25 | 8 00 | 70 00 80 00 | | | | |
| | 20 | 60 | 4 00 | 30 00 | | | | |
| " 1 to 2 ft | | 1 00 | 8 00 | | | | | |
| " 2 to 3 ft. tr1 (| 00 4 | 1 00 | 30 00 | | | | | |
| | | 1 00 | 8 00 | 70 00 | | | | |
| " 2 to 3 ft | | 1 50 | 12 00 | 100 00 | | | | |
| Common Privett, Vulgaris, 1 to 2 ft | | 00 0 | 8 00 | | | | | |
| | | 1 00 | 35 00 | | | | | |
| | | 00 | 30 00 | | | | | |
| " tr 4 to 5 ft.2 (| | 00 | | | | | | |
| Hamamelis is extra fine, transplanted | ,0 1, | , 00 | | | | | | |
| Robina Hispida, moss locust, 1 to 2 ft | 35 | 3 00 | 25 00 | | | | | |
| | | 1 00 | 35 00 | | | | | |
| | | 4 00 . 2 00 | 30 00 | | | | | |
| Snow Ball, 2 to 2½ ft | ranch | z oo ed eac | h 25c: 1 | 00. \$20 | | | | |
| | | 1 | , 200, 2 | , , , , | | | | |
| EVERGREENSCo. | llec | ted | | | | | | |
| Do | | 100. | 1,000. | 10,000 | | | | |
| | 20 | 50 | 3 00 | 25 00 | | | | |
| 1 to 2 it | 30 25 | 1 00 50 | 7 00 4 00 | 50 00 30 00 | | | | |
| Yellow Pine, | | 1 00 | 6 00 | 40 00 | | | | |
| Abies Canadensis, hemlock spruce 6 to 12 in | 15 | 50 | 3 00 | 25 00 | | | | |
| " 1 to 2 ft | | 1 00 | 6 00 | 50 00 | | | | |
| | | 1 25 | 10 00 | | | | | |
| " " "1 to 2 ft 4 | 10 | 2 25 | 15 00 | | | | | |
| VINES AND CREA | EPE | RS | | | | | | |
| | Do | oz. | 100 | 1,000 | | | | |
| Ampelopis Quinquefolia, Va. creeper, 2 yr | | | 2 00 | \$15 00 | | | | |
| 1 yr | 20 | | 1 00 | 8 00 | | | | |
| Vitis Cordifomis, winter grapes, tr | 75 | | 5 00 | | | | | |
| Vitis Labruska, fox grapes, ir 2 yr Kudzu, or Japan Bean Vine, 1 yr., each 15c; pe | . 75 | | 5 00 | | | | | |
| Tecoma Capreolata, crossvine, 6 to 12 in | 15 Hun | 40 | 3 00 | | | | | |
| | 15 | 40 | 3 00 | 20 00 | | | | |
| " 2 to 3 ft | 20 | 60 | 4 00 | 30 00 | | | | |
| FEDNC | | | | | | | | |
| FERNS | and the | | 100 | 1.000 | | | | |
| Adjentum Podetum meiden heir form | | 30 | 100 \$1 00 | 1,000 \$ 5 00 | | | | |
| Adiantum Pedatum, maiden hair fern Dicsonia Punctilobula, hay scented fern | | 20 | 80 | 4 00 | | | | |
| Osmunda Cinnamomea, cinnamon fern, clumps | s 1 | | 3 00 | 10 00 | | | | |
| Osmunda Regalis, royal fern | 1 | 00 | 3 00 | 12 00 | | | | |
| Polystaca Acrestichoides, Xmas fern, evergreen | | 30 | 1 00 | 5 00 | | | | |
| WANTED. | | | | | | | | |
| | | | The second second | | | | | |

Fresh Tree, Shrub and Vine Seeds. Make offers at once.

J. H. H. BOYD,

RFD 2,

McMinnville McMinnville, Tenn.